

ADVANCED SUBSIDIARY GCE BIOLOGY

F212

Molecules, Biodiversity, Food and Health

Candidates answer on the question paper.

OCR supplied materials:

None

Other materials required:

- Electronic calculator
- Ruler (cm/mm)

Thursday 26 May 2011
Afternoon

Duration: 1 hour 45 minutes




Candidate forename					Candidate surname				
				I					
Centre number						Candidate number			

INSTRUCTIONS TO CANDIDATES

- Write your name, centre number and candidate number in the boxes above. Please write clearly and in capital letters.
- Use black ink. Pencil may be used for graphs and diagrams only.
- Read each question carefully. Make sure you know what you have to do before starting your answer.
- Write your answer to each question in the space provided. If additional space is required, you should use the lined pages at the end of this booklet. The question number(s) must be clearly shown.
- Answer **all** the questions.
- Do not write in the bar codes.

INFORMATION FOR CANDIDATES

- The number of marks is given in brackets [] at the end of each question or part question.
- The total number of marks for this paper is 100.
- Where you see this icon you will be awarded marks for the quality of written communication in your answer.
- You may use an electronic calculator.
- You are advised to show all the steps in any calculations.
- This document consists of 28 pages. Any blank pages are indicated.



Answer all the questions.

1 (a) Plants are the producers in most food chains.

Complete the following passage by using the most appropriate terms from the list to fill the gaps.

A term should **not** be used more than once.

cellulose	nucleic acids	respiration
lipids	photosynthesis	starch
monomers	proteins	sucrose

(b) Fig. 1.1 shows the yield of rye plants (in tonnes per hectare) grown on the same soil for 80 years. These plants were grown without the addition of nitrogen fertiliser.




Fig. 1.1

Insect pests, such as aphids, can reduce yield in rye plants by piercing the phloem
removing materials.
Aphids can be killed using an insecticide. However, over a period of time, an increa
Aphids can be killed using an insecticide. However, over a period of time, an increa
Aphids can be killed using an insecticide. However, over a period of time, an increaconcentration of insecticide is required to control the aphid population.
Aphids can be killed using an insecticide. However, over a period of time, an increaconcentration of insecticide is required to control the aphid population.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation concentration of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.
Aphids can be killed using an insecticide. However, over a period of time, an increation of insecticide is required to control the aphid population. Explain why this is the case.

2 (a) Enzymes are biological catalysts.

Expla	ain the terr	m <i>biological</i>	catalyst.			
				 	•••••	
		, 		 		
				 		[2]

(b) When the enzyme catalase is added to hydrogen peroxide, the following reaction occurs:

$$H_2O_{2(l)} \xrightarrow{\text{catalase}} 2 H_2O_{(l)} + O_{2(g)}$$
 hydrogen peroxide

In an investigation into the effect of temperature on the rate of this reaction, a student set up apparatus as shown in Fig. 2.1, using liquidised celery as a source of catalase.




Fig. 2.1

The student measured the volume of oxygen produced at five different temperatures using samples of the liquidised celery.

(i)	State the other	variable t	hat	needs	to	be	measured	in	order	to	calculate	the	rate	of
	reaction.													

.....[1]

(ii)			using samples of liquidised gest a way to minimise this p	
				[2]
(iii)	The stu	dent collected the data show	n in Table 2.1.	
		Tabl	e 2.1	
		temperature (°C)	volume of oxygen (cm ³)	
		5	4	
		10	7	
		12	10	
		25	28	
		28	32	
	Sugges	t how the student could checl	k the reliability of the data.	

.....[2]

(c) Another student carried out a similar procedure and presented his results as a graph. The graph that he drew is shown in Fig. 2.2.




Fig. 2.2


Describe the data shown in Fig. 2.2.


[4]

		_		
(ii)	O is a n	7	rate of reaction for a 10°C rise in temperat	uro
(11)	.0			uie.
	It is calcu	lated using the following formu	lla:	
		$Q_{10} = \frac{\text{rate at } 0}{\text{rate}}$	<u>(t + 10 °C)</u> at t °C	
		10°C = rate at the higher tem rate at the lower temperature	perature	
	Using the	information in Fig. 2.2, calcula	ate Q ₁₀ between 15°C and 25°C.	
	Show you	ur working.		
		Aı	nswer =	[1]
(iii)	In the cor	nclusion to this experiment, the	student wrote the following:	
As :	the <u>heat</u>	increased, the reaction wer	nt faster until it got to its <u>highest</u> .	
Aft	er this, th	he rate of reaction fell. The	is happened because the enzyme was	
<u>kille</u>	ed and the	hydrogen peroxide could n	ot fit into the enzyme's <u>key</u> site.	
	Suggest a	a more appropriate word to rep	place each of the underlined words.	
	heat	should be replaced with		
	highest	should be replaced with		
	killed	should be replaced with		
	key	should be replaced with		[4]


[Total: 16]


3 A number of different biological molecules are represented in Fig. 3.1.






C H R | N-C |





Ε






Fig. 3.1

(a) (i) State the letter of the molecule shown in Fig. 3.1 that represents:

a triglyceride	
a monosaccharide	
a protein	

[3]

(ii) State the letter of the molecule shown in Fig. 3.1 that contains:

phosphateglycosidic bondspeptide bonds

disulfide bonds

[4]

(b)	Mol	ecule E shown in Fig. 3.1 is part of the carbohydrate molecule glycogen.
	Exp	plain why glycogen makes a good storage molecule.
		[3]
(c)	(i)	When glycogen is hydrolysed, molecule A shown in Fig. 3.1 is produced.
		State the precise name of molecule A [1]
	(ii)	State one function of molecule A .
		[1]
	(iii)	State the letter of a molecule shown in Fig. 3.1, other than molecule E , that is used as a storage molecule.
		[1]

QUESTION 3(d) STARTS ON PAGE 10

(d) Cellulose is a carbohydrate molecule found in plants.

Complete the table below to give three **differences** in the **structures** of glycogen and cellulose.

One difference has been done for you.

glycogen	cellulose
no hydrogen bonding	hydrogen bonding

[3]

[Total: 16]

11 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE QUESTION 4 STARTS ON PAGE 12

4	(a)	Each winter, the UK government recommends that vulnerable members of the public are
		vaccinated against the influenza (flu) virus.

(1)	State two groups of people that the government would consider as being vulnerable.
	1
	2
	[2
(ii)	Suggest why the influenza vaccine has to be changed each year.
	[2]

Fig. 4.1 shows the concentration of antibodies in a patient's bloodstream following an influenza vaccination and then infection with the influenza virus.




Fig. 4.1

(iii)	Using the information from Fig. 4.1, state two differences between the primary secondary immune responses.	and
		[2]
(iv)	Memory cells are produced when a patient is vaccinated against influenza.	
	Describe the role of these memory cells when the influenza virus enters the body.	
		[3]


QUESTION 4(b) STARTS ON PAGE 14

(b)	Tan	${ m niflu}^{ m B}$ is an antiviral drug that can be used to treat influenza patients.
	(i)	State why a doctor would not prescribe antibiotics to treat influenza.
		[1]
	(ii)	Neuraminidase is an enzyme which is present on the protein coat of the influenza virus.
		This enzyme is used to break down the host cell membrane and allow the influenza viruses to leave the infected cell. Tamiflu $^{(\!n\!)}$ is a neuraminidase inhibitor.
		Suggest how Tamiflu® could inhibit neuraminidase.
		[2]
	(iii)	Suggest how Tamiflu® could help to reduce the spread of influenza.
		[2]

(c) In an effort to find new drugs to combat a possible new influenza pandemic, research have investigated plants used in traditional medicine in Nepal. Two plants, an onion, A oreoprasum, and an asparagus, Asparagus filicinus, have been found to show an properties.	Allium
Suggest why researchers in Nepal concentrated their research on plants that had been in traditional medicine.	used
	[2]
「Tota	l: 161

QUESTION 5 STARTS ON PAGE 16

5 (a) Fig. 5.1 shows the relationship between the mean number of cigarettes smoked per person per year and the incidence of lung cancer for both men and women between 1900 and 1990.






Fig. 5.1

	17
(i)	Compare the changes in the patterns of smoking in men and women from 1900 to 1990.
	[2]
(ii)	What evidence from Fig. 5.1 suggests that smoking causes lung cancer?
	[2]

QUESTION 5(b) STARTS ON PAGE 18

(b)	Describe how smoking contributes to the development of lung cancer.							
		In your answer, you should make clear the links between smoking and the development of lung cancer.						
		[6]						

(c)	Name three other diseases associated with smoking.				
	1				
	2				
	3[3]				
	[Total: 13]				

QUESTION 6 STARTS ON PAGE 20

6 (a) Fig. 6.1 shows two species of trilobites, a group of arthropods that became extinct about 240 million years ago. Species **A** is 20 million years older than species **B**.




Fig. 6.1

	(i)	List three observable features from Fig. 6.1 that suggest the two species are related.	
		1	
		2	
		3	[3]
	(ii)	List two observable features from Fig. 6.1, other than size , that could suggest they different species.	are
		1	
		2	[2]
(b)	Exp	plain how fossils provide evidence for the theory of evolution.	
			[2]

[Total: 7]

21 BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE QUESTION 7 STARTS ON PAGE 22

7 (a) Fig. 7.1 represents part of a DNA molecule.




Fig. 7.1

State the precise name of each of the parts of the DNA molecule labelled ${\bf X}$, ${\bf Y}$ and ${\bf Z}$.

X	
Υ	
•	
Z	[3]

	our answer, yo				
		 		•••••	•••••
•••••		 	•••••		

[Total: 10]

On Christmas Eve 1987, the last female Spix's Macaw, *Cyanopsitta spixii*, was removed from the wild in Brazil. The last remaining male bird continued to live in the wild for a further six years. This

		d, having lost its partner, mated with a Blue-winged Macaw, <i>Propyrrhura maracana</i> .
(a)	Exp	plain why eggs produced by this mating did not hatch.
	••••	
		[2]
(b)		x's Macaws became endangered because the birds were illegally trafficked to collectors in er parts of the world. This is against the CITES agreement.
	(i)	State what the abbreviation CITES stands for.
		[1]
	(ii)	State two of the aims of the CITES agreement.
		1
		2
		[2]
(c)		ce it was realised that the Spix's Macaws were in danger of becoming extinct, the collectors e "invited" to allow their macaws to take part in a breeding programme.
	_	gest two factors to be taken into consideration when selecting individuals for this breeding gramme.
		[2]

8

(d)	Finally, a captive bred female Spix's Macaw was released into the original male's territory.				
	What could be done to try to ensure the success of this release programme?				
	[3]				
	[Total: 10]				

END OF QUESTION PAPER

ADDITIONAL PAGE

If additional space is required, you should use the lined pages below. The question number(s) must be clearly shown.		

PLEASE DO NOT WRITE ON THIS PAGE



Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact the Copyright Team, First Floor, 9 Hills Road, Cambridge CB2 1GE.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2011